

**PROCHEMKO**



## POLISHING CREAM

# Polishes glass and stainless steel

- Cleans and polishes in one go
- Easy to apply
- Safe to use

# POLISHING CREAM

## DESCRIPTION

For polishing and cleaning glass, stainless steel, and coated surfaces.  
Also for the removal of soiling, such as lime residues, rust streaks, glass erosion, and rubber streaks.

## RECOMMENDED USE

Polishing cream can be used as a cleaning agent for etched window glass and paint streaks of window rubbers on coated surfaces.  
Once the glass has been cleaned and polished, treat it with NanoSign Glass when needed.  
Removes lime residues, rust streaks, and fingerprints from stainless steel  
(for window glass treated with a metal coating on one side, first try out a test surface).

## PRACTICAL CONSUMPTION

The consumption is heavily dependent on the nature and intensity of the fouling or etching.

## DIRECTIONS FOR USE

Clean the surface using Kuraltex NL 320, Grease Cleaner Foam, or Universol.  
Apply polishing cream using a cloth, sponge, or white pad.  
Polish using a sponge, cloth, or white pad until the etching and/or dirt is removed.  
Now rinse off all of it using water and rub dry using a lint-free cloth or soft paper.  
Do not dilute the product.

## APPLICATION CONDITIONS

Minimum ambient temperature : 5 °C  
Maximum relative humidity : 100%  
Minimum surface temperature : 5 °C  
Maximum surface temperature: 35 °C

## CLEANING OF EQUIPMENT / SPILLS

Rinse with clean water immediately after use.

## REMARKS

Dispose of remnants of the product and empty packaging as chemical waste, in accordance with the local regulations and legal requirements.

## PH

7.0000

## SHELF LIFE

Can be kept for a minimum of 12 months when stored in a dry, cool, and frost-free environment in the original unopened packaging.

Date issued: 14/09/2022

**Available colours & pack sizes:** Please refer to the respective product page on [www.rust-oleum.eu](http://www.rust-oleum.eu) for an overview of actual available colours and pack sizes.

**Disclaimer:** The information contained herein is to the best of our knowledge true and accurate and is given in good faith but without warranty. The user will be deemed to have satisfied him/herself independently as to the suitability of our products for his/her own particular purpose. In no event shall Rust-Oleum Europe be liable for consequential or incidental damages. Products must be stored, handled, and applied under conditions complying with Rust-Oleum Europe recommendations detailed within the latest copy of the product data sheet. It is the users responsibility to ensure that they have the current copy. Latest copies of the product data sheet is available for free and downloadable from [www.rust-oleum.eu](http://www.rust-oleum.eu) or upon a request to our Customer Services department. Rust-Oleum Europe reserves the right to change the properties of its' products without prior notification.

**Rust-Oleum Netherlands B.V.**  
Zilverenberg 16  
5234 GM 's-Hertogenbosch  
The Netherlands  
T : +31 (0) 165 593 636  
F : +31 (0) 165 593 600  
[info@rust-oleum.eu](mailto:info@rust-oleum.eu)

**Tor Coatings Ltd (Rust-Oleum Industrial)**  
Shadon Way, Portobello Ind. Estate  
Birtley, Chester-le-Street  
DH3 2RE United Kingdom  
T : +44 (0)1914 113 146  
F : +44 (0)1914 113 147  
[info@rust-oleum.eu](mailto:info@rust-oleum.eu)

**Rust-Oleum France S.A.S.**  
38, av. du Gros Chêne  
95322 Herblay  
France  
T : +33(0) 130 40 00 44  
F : +33(0) 130 40 99 80  
[info@rust-oleum.eu](mailto:info@rust-oleum.eu)

**N.V. Martin Mathys S.A.**  
Kolenbergstraat 23  
3545 Zelem  
Belgium  
T : +32 (0) 13 460 200  
F : +32 (0) 13 460 201  
[info@rust-oleum.eu](mailto:info@rust-oleum.eu)